according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2 Revision Date 20.12.2024 Supersedes 3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Genetron® 407A

SDS-number : 000000013646

Type of product : Mixture

Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the : Refrigerant

Substance/Mixture

Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company : Honeywell Advanced Limited Honeywell International, Inc.

One Spencer Dock, North Wall 115 Tabor Road

Quay Morris Plains, NJ 07950-2546

Dublin 1 USA

Ireland

Telephone : +353 1 447 9350

For further information, : SafetyDataSheet@Honeywell.com

please contact:

1.4. Emergency telephone number

Emergency telephone : +1-703-527-3887 (ChemTrec-Transport)

number +1-303-389-1414 (Medical)

: Poison Control Center:

United Kingdom: (+44) 844 892 0111

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

**REGULATION (EC) No 1272/2008** 

Page 1 / 17

according to Regulation (EC) No. 1907/2006, as amended



# **Genetron® 407A**

00000013646

Version 4.2 Revision Date 20.12.2024 Supersedes 3

Gases under pressure Liquefied gas H280 Contains gas under pressure; may explode if heated.

#### 2.2. Label elements

#### **REGULATION (EC) No 1272/2008**

Hazard pictograms

 $\bigcirc$ 

Signal word : Warning

Hazard statements : H280 Contains gas under pressure; may

explode if heated.

Precautionary statements : P260 Do not breathe dust/ fume/ gas/ mist/

vapours/ spray.

P280 Wear protective gloves/ eye protection/

face protection.

P284 In case of inadequate ventilation wear

respiratory protection.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

P410 + P403 Protect from sunlight. Store in a well-

ventilated place.

Special labelling of certain

products:

: Contains fluorinated greenhouse gases.

# 2.3. Other hazards

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Rapid evaporation of the liquid may cause frostbite. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2

Revision Date 20.12.2024

Supersedes 3

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Norflurane	811-97-2 212-377-0	Press. Gas ; H280	40 %	
Pentafluoroethane	354-33-6 206-557-8	Press. Gas ; H280	40 %	
Difluoromethane	75-10-5 200-839-4	Flam. Gas 1B; H221 Press. Gas ; H280	20 %	

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation

Remove to fresh air. Artificial respiration and/or oxygen may be necessary. Call a physician immediately.

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2

Revision Date 20.12.2024

Supersedes 3

#### Skin contact:

Rapid evaporation of the liquid may cause frostbite. In case of contact with liquid, thaw frosted parts with water, then remove clothing carefully. Wash with plenty of water Consult a physician. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.

### Eye contact:

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

### Ingestion:

Ingestion is unlikely because of the physical properties and is not expected to be hazardous. As this product is a gas, refer to the inhalation section.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms.

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2 Revision Date 20.12.2024

Supersedes 3

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media:

The product is not flammable.

**ASHRAE 34** 

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Contents under pressure.

This product is not flammable at ambient temperatures and atmospheric pressure.

However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources.

Container may rupture on heating.

Cool closed containers exposed to fire with water spray.

Do not allow run-off from fire fighting to enter drains or water courses.

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Fire may cause evolution of:

Hydrogen fluoride

Carbon oxides

Halogenated compounds

Carbonyl halides

#### 5.3. Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Immediately contact emergency personnel. Wear personal protective equipment. Unprotected persons must be kept away. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Ensure that the oxygen content is >= 19.5%.

#### 6.2. Environmental precautions

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2

Revision Date 20.12.2024

Supersedes 3

Prevent further leakage or spillage if safe to do so. The product evaporates readily.

#### 6.3. Methods and materials for containment and cleaning up

#### 6.4. Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling:

Open drum carefully as content may be under pressure. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Do not use in areas without adequate ventilation. Contaminated equipment (brushes, rags) must be cleaned immediately with water.

### 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep away from direct sunlight. Keep containers tightly closed in a cool, well-ventilated place.

### 7.3. Specific end use(s)

no additional data available

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2

Revision Date 20.12.2024

Supersedes 3

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
Norflurane	HONEYWELL TWA	1.000 ppm		
Norflurane	EH40 WEL TWA	4.240 mg/m3 1.000 ppm		
Pentafluoroethane	HONEYWELL TWA	1.000 ppm		We are not aware of any national exposure limit.
Difluoromethane	HONEYWELL TWA	2.200 mg/m3 1.000 ppm		We are not aware of any national exposure limit.

HONEYWELL - Limit established by Honeywell International Inc.

TWA - Time weighted average

### **DNEL/ PNEC-Values**

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Norflurane	Workers / Long-term systemic effects		13936 mg/m3	Inhalation	
Norflurane	Consumers / Long-term systemic effects		2476 mg/m3	Inhalation	
Pentafluoroethane	Workers / Long-term systemic effects		16444 mg/m3	Inhalation	
Pentafluoroethane	Consumers / Long-term systemic		1753 mg/m3	Inhalation	

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2

Revision Date 20.12.2024

Supersedes 3

	effects			
Difluoromethane	Workers / Long-term systemic effects	7035 mg/m3	Inhalation	
Difluoromethane	Consumers / Long-term systemic effects	750 mg/m3	Inhalation	

Component	Environmental compartment / Value	Remarks
Norflurane	Fresh water: 0,1 mg/l	Assessment factor: 1000
Norflurane	Marine water: 0,01 mg/l	Assessment factor: 10000
Norflurane	Fresh water sediment: 0,75 mg/kg	Assessment factor: 100
Norflurane	Sewage treatment plant: 73 mg/l	Assessment factor: 10
Pentafluoroethane	Fresh water: 0,1 mg/l	Assessment factor: 1000
Pentafluoroethane	Fresh water sediment: 0,6 mg/kg dw	
Difluoromethane	Fresh water: 0,142 mg/l	Assessment factor: 1000
Difluoromethane	Fresh water sediment: 0,534 mg/kg dw	

# 8.2. Exposure controls

### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

# Personal protective equipment

Respiratory protection:

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2 Revision Date 20.12.2024

Supersedes 3

In case of insufficient ventilation wear suitable respiratory equipment. Self-contained breathing apparatus (EN 133)

Hand protection:

Protective gloves against cold

(EN 511)

Eye protection:

Safety glasses with side-shields conforming to EN166

Face-shield

Skin and body protection:

Protective footwear

### **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

(a) Physical state : gaseous

(b) Colour : colourless

(c) Odour : slight

(d) Melting point/freezing

point

: No data available

(e) Boiling point/boiling

range

: -45 °C

(g) Lower and upper

explosion limit

: Lower explosion limit

None

: Upper explosion limit

None

(i) Auto-ignition

: No data available

temperature

(j) Decomposition : 250 °C

Page 9 / 17

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Revision Date 20.12.2024 Supersedes 3 Version 4.2

temperature

(m) Solubility(ies) : Water solubility:

No data available

(n) Partition coefficient: n-: log Pow 1,06

octanol/water

Medium: 1,1,1,2-tetrafluoroethane (HFC-134a)

(n) Partition coefficient: n-

octanol/water

log Pow 1,48

Medium: Ethane, pentafluoro- (HFC-125)

11.270 hPa (o) Vapour pressure

at 21,1 °C

25.667 hPa at 54,4 °C

(p) Density and / or relative : 1,145 g/cm3

density

at 25 °C

(q) Relative vapour density : 3,1

(r) Particle characteristics : No data available

9.2 Other Information

no additional data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Stable under normal conditions. Hazardous polymerisation does not occur.

### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

Page 10 / 17

according to Regulation (EC) No. 1907/2006, as amended



# **Genetron® 407A**

00000013646

Version 4.2

Revision Date 20.12.2024

Supersedes 3

No data available

### 10.4. Conditions to avoid

Heating will cause pressure rise with risk of bursting

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

### 10.5. Incompatible materials

oxidising substances

Possible incompatibility with alkali sensitive materials.

Powdered metals

#### 10.6. Hazardous decomposition products

Halogenated compounds Hydrogen fluoride Carbonyl halides Carbon oxides

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### (a) Acute toxicity

Acute oral toxicity:
Not applicable

Acute dermal toxicity: No data available

Acute inhalation toxicity:

LC50

Species: Rat

Value: > 500000 ppm Exposure time: 4 h

Test substance: 1,1,1,2-tetrafluoroethane (HFC-134a)

LC50

Species: Rat

Value: > 769000 ppm Exposure time: 4 h

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2

Revision Date 20.12.2024

Supersedes 3

Test substance: Ethane, pentafluoro- (HFC-125)

LC50

Species: Rat

Value: 520000 ppm Exposure time: 4 h

Test substance: Difluoromethane (HFC-32)

Acute toxicity (other routes of administration):

No data available

### (b) Skin corrosion/irritation:

No data available

### (c) Serious eye damage/eye irritation:

No data available

# (d) Respiratory or skin sensitisation:

No data available

# (h) STOT-single exposure:

No data available

### (i) STOT - repeated exposure:

No data available

# (j) Aspiration hazard:

No data available

### 11.2. Information on other hazards

Endocrine disrupting properties

No data available

### Other information:

Difluoromethane. (HFC-32): Cardiac sensitisation threshold (dog): 350000 ppm.

1,1,1,2-tetrafluoroethane (HFC-134a): Cardiac sensitisation threshold (dog): 80000 ppm.

Ethane, pentafluoro- (HFC-125): Cardiac sensitisation threshold (dog): 75000 ppm.

Inhalation: May cause cardiac arrhythmia.

Rapid evaporation of the liquid may cause frostbite.

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2

Revision Date 20.12.2024

Supersedes 3

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Toxicity to fish: No data available

Toxicity to aquatic plants: No data available

Toxicity to aquatic invertebrates: No data available

# 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

## 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

### 12.6. Endocrine disrupting properties

No data available

# 12.7. Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Refer to manufacturer/supplier for information on recovery/recycling.

Page 13 / 17

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2 Revision Date 20.12.2024

Supersedes 3

#### Remarks:

To present knowledge of the supplier, this product is not regarded as hazardous waste as defined by EU Directive 91/689/EC.Classification: 14.06.01

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

To present knowledge of the supplier, this product is not regarded as hazardous waste as defined by

EU Directive 91/689/EC.

For personal protection see section 8.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID:3338 IMDG:3338 IATA:3338

### 14.2 UN proper shipping name

ADR/RID:REFRIGERANT GAS R 407A IMDG:REFRIGERANT GAS R 407A IATA:Refrigerant gas R 407A

### 14.3 Transport hazard class(es)

ADR/RID:2.2 IMDG: 2.2 IATA: 2.2

### 14.4 Packaging group

No data available

### 14.5 Environmental hazards

ADR/RID:no Marine pollutant: no

### 14.6 Special precautions for user

IMDG Code segregation group according chapter 3.1.4.4: NONE,

# 14.7 Maritime transport in bulk according to IMO instruments

No data available

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Page 14 / 17

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2 Revision Date 20.12.2024

Supersedes 3

### Other inventory information

USA. List of Active Substances on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory, as amended On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Domestic Substances List (DSL), as amended All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) Not in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

### Text of H-statements referred to under heading 3

Norflurane : H280 Contains gas under pressure; may explode if heated.

Page 15 / 17

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2 Revision Date 20.12.2024 Supersedes 3

Pentafluoroethane : H280 Contains gas under pressure; may explode if heated.

Difluoromethane : H221 Flammable gas.

H280 Contains gas under pressure; may explode if heated.

#### **Further information**

All directives and regulations refer to amended versions.

Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

#### Abbreviations:

EC European Community

CAS Chemical Abstracts Service

DNEL Derived no effect level

PNEC Predicted no effect level

vPvB Very persistent and very biaccumulative substance

PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

according to Regulation (EC) No. 1907/2006, as amended



# Genetron® 407A

00000013646

Version 4.2 Revision Date 20.12.2024

Supersedes 3